



3M[™] CUBITRON[™] II ABRASIVES

Norepower

more parts per hour.



The new benchmark for abrasives

- Lasts up to 5x longer
- Cuts faster with less heat
- Excellent surface finish
- Reduced disc changes
- Self sharpening grain
- Prove it yourself!





Cubitron[™] II Fibre Discs

THE FUTURE IS NOW!

982C Cubitron[™] II Fibre Discs

- Contains Cubitron[™] II precision shaped ceramic grain
- Lasts up to 5x longer than standard fibre discs!
- Extremely versatile disc removes more metal with less pressure
- Grinds like a grinding disc and finishes like flap disc
- Ideal For: Mild Steel, Hardened Steel, Cast Iron
- Application: Heavy Grinding, Bevelling, Blending, Finishing
- Recommended Tools: Angle Grinders (with Backing Pad)

987C Cubitron[™] II Fibre Discs

- Contains Cubitron[™] II precision shaped ceramic grain
- Lasts up to 5x longer than standard fibre discs!
- Topcoat lubricant for extra cool grinding and reduced clogging
- Applications: Heavy Grinding, Bevelling, Blending, Finishing
- Ideal For: Stainless Steel, Aluminium, Titanium, Brass, Copper
- Application: Heavy Grinding, Bevelling, Blending, Finishing
- Recommended Tools: Angle Grinders (with Backing Pad)



Cod Cod 14415 14427 25 982C 987C 100 x 16mm Each 100 x 16mm 36+ Each 25 36+ 25 14416 982C 100 x 16mm 60+ Each 25 14428 987C 100 x 16mm 60+ Fach 14417 982C 100 x 16mm 80+ Each 25 14429 987C 100 x 16mm 80+ Each 25 14418 982C 115 x 22mm 36+ 25 14430 987C 115 x 22mm 36+ 25 Each Each 14419 14431 982C 115 x 22mm 60+ Each 25 987C 115 x 22mm 60+ Each 25 14420 982C 115 x 22mm 80+ Each 25 14432 987C 115 x 22mm 80+ Each 25 14421 982C 125 x 22mm 36+ Each 25 14433 987C 125 x 22mm 36+ Each 25 14422 982C 125 x 22mm 60+ Each 25 14434 987C 125 x 22mm Each 25 60+ 25 14423 982C 125 x 22mm 80+ Each 14435 987C 125 x 22mm 80+ Each 25 14424 982C 180 x 22mm 36+ Each 25 14436 987C 180 x 22mm 36+ Each 25 14425 982C 180 x 22mm 60+ Each 25 14437 9870 180 x 22mm 60+ Each 25 180 x 22mm 14438 Each 25 14426 982C 80+ Each 25 987C 180 x 22mm 80+

Cubitron[™] II Flap Discs

THE FASTEST AND LONGEST LASTING FLAP DISC!

- Contains Cubitron[™] II precision shaped ceramic grain
- Topcoat lubricant for extra cool grinding and reduced clogging
- Highly flexible for use in corners, curves and contours
- Grain stays sharp for longer reducing disc changes
- Ideal For: Mild Steel, Stainless Steel, Aluminium, Titanium, Brass, Copper, Cast Iron
- Application: Grinding, Blending, Finishing
- Recommended Tools: Angle Grinders



Code	Size	Grade	UOM	Pack Qty
14096	115 x 22mm	40+	Each	10
14097	115 x 22mm	60+	Each	10
14098	115 x 22mm	80+	Each	10
14099	125 x 22mm	40+	Each	10
14100	125 x 22mm	60+	Each	10
14101	125 x 22mm	80+	Each	10
14102	180 x 22mm	40+	Each	10
14103	180 x 22mm	60+	Each	10





3M[™] High Performance Cutting Discs

A CUT ABOVE THE REST.

- Contains Cubitron[™] II precision shaped ceramic grain
- Slices through metal faster with less pressure
- Extra cool cutting eliminates burrs
- Reduced disc changes improves productivity
- Ideal For: Mild Steel, Stainless Steel, Hardened Steel, Aluminium, Titanium, Brass, Copper, Cast Iron
- Application: Cutting

Code

14266

14267

14268

14269

14270

Recommended Tools: Angle Grinders



		k	Ó	nd I	
< Qty	No.	dia	Nºn5		
:5	COLUMN T	1	229 x	TT	
:5	11 点		11	1	
5		1000	1.00	8 y	
:5	Sec. 1	191		34	
:5	1.965	-	ALC: NO		

Cubitron[™] II Grinding Discs

100 x 1.0 x 16mm

115 x 1.0 x 22mm

125 x 1.0 x 22mm

180 x 2.0 x 22mm

230 x 2.0 x 22mm

Fach

Each

Each

Each

Each

2

2

2

2

GRINDING REINVENTED!

- Contains Cubitron[™] II precision shaped ceramic grain
- Suitable for edge grinding in corners
- Removes metal faster with less pressure
- Excellent performance on railway track and bisalloy
- Grain stays sharp for longer reducing disc changes
- Ideal for: Mild Steel, Stainless Steel, Hardened Steel, Aluminium, Titanium, Brass, Copper, Cast Iron
- Application: Heavy Grinding, Bevelling
- Recommended Tools: Angle Grinders



Code		UOM	Pack Qty
14383	100 x 6.0 x 16mm	Each	20
14384	115 x 7.0 x 22mm	Each	10
14385	125 x 7.0 x 22mm	Each	10
14386	180 x 7.0 x 22mm	Each	10
14387	230 x 7.0 x 22mm	Each	10





Cubitron[™] II Velcro Sanding Discs

THE GAME CHANGER.

- Contains Cubitron[™] II precision shaped ceramic grain
- Lasts up to 5x longer than standard velcro discs
- Film material can be used wet or dry
- Clean Sand (Multi-Hole) design for efficient dust extraction
- and eliminates the need to line up backing pad holes
- Cuts faster with an extremely consistent finish
- Ideal For: Mild Steel, Stainless Steel, Aluminium, Brass, Copper
- Application: Blending, Finishing, Paint Preparation
- Recommended Tools: 150mm Orbital Sanders





Code		Grade	UOM	Pack Qty
14515	150mm	80+	Each	50
14516	150mm	120+	Each	50
14517	150mm	150+	Each	50
14518	150mm	180+	Each	50
14510	150mm	220.	Each	50

More about Cubitron[™] II

Other Cubitron[™] II products

- Linishing Belts
- Unitised Roloc Discs
- Sanding Roloc Discs
- What's next? [Watch this space!]



Precision Shaped Grain





Performance under pressure Low Medium Medium-Hi Medium Bending Ligit cleaning Under the monol Scale report



